

## UNIT Html –CSS-javascript

### 1. HTML stands for \_\_\_\_\_

- a) **HyperText Markup Language**
- b) HyperText Machine Language
- c) HyperText Marking Language
- d) HighText Marking Language

### 2. What is the correct syntax of doctype in HTML5?

- a) </doctype html>
- b) <doctype html>
- c) <doctype html!>
- d) **<!doctype html>**

### 3. Which of the following tag is used for inserting the largest heading in HTML?

- a) head
- b) **<h1>**
- c) <h6>
- d) heading

### 4. All HTML tags are enclosed in what ?

- a) # and #
- b) ? and !
- c) **< and >**
- d) { and }

### 5. <b> tag makes the enclosed text bold, which other html tag is used to make text bold?

- a) **<Strong>**
- b) <black>
- c) <emp>
- d) <dark>

### 6. Which html tag is used to display a picture in a web page?

- a) <src>.
- b) <img>.
- c) **<img src>**
- d) <image>

### 7. Which element is used to get highlighted text in HTML5?

- a) <u>
- b) **<mark>**
- c) <highlight>
- d) <b>

### 8. Which of the following is not the element associated with the HTML table layout?

- a) alignment
- b) **color**
- c) size
- d) spanning

### 9. Which HTML tag is used to insert an image?

- a) <img url="htmllogo.jpg" />
- b) <img alt="htmllogo.jpg" />
- c) ****
- d) <img link="htmllogo.jpg" />

### 10. In HTML, which attribute is used to create a link that opens in a new window tab?

- a) src="\_blank"
- b) alt="\_blank"
- c) target="\_self"
- d) **target="\_blank"**

### 11. Which tag is used to create a numbered list in HTML?

- a) **<ol>**
- b) <ul>
- c) <li>
- d) <ll>

### 12. Tags and text that are not directly displayed on the page are written in which section

- a) **<HEAD>**
- b) <TITLE>
- c) <BODY>
- d) <HTML>

13. JavaScript is ideal to \_\_\_\_\_
- a) make computations in HTML simpler
  - b) **minimize storage requirements on the web server**
  - c) increase the download time for the client
  - d) increase the loading time of the website
14. JavaScript can be written \_\_\_\_\_
- a) **directly into JS file and included into HTML**
  - b) directly on the server page
  - c) directly into HTML pages
  - d) directly into the css file
15. Which of the following Attribute is used to include External JS code inside your HTML Document?
- a) **src**
  - b) ext
  - c) script
  - d) link
16. One of the main advantage of using src attribute is \_\_\_\_\_
- a) It becomes self-cached
  - b) It makes the HTML file modular
  - c) It restricts manipulation in the HTML file
  - d) **It simplifies the HTML files**
18. Which of the following CSS property is used to set the blend mode for each background layer of an element?
- a) **background-blend-mode property**
  - b) background-collapse property
  - c) background-transform property
  - d) background-origin property
19. The CSS property which is used to define the set the difference between two lines of your content is -
- a) min-height property
  - b) max-height property
  - c) **line-height property**
  - d) None of the above
20. Which if the following CSS function allows us to perform calculations?
- a) **calc() function**
  - b) calculator() function
  - c) calculate() function
  - d) cal() function
21. Which type of CSS is used in the below code?
- ```
<p style = "border:2px solid red;">
```
- a) **Inline CSS**
  - b) Internal CSS
  - c) External CSS
  - d) None of the above
22. The CSS property used to set the distance between the borders of the adjacent cells in the table is -
- a) border-collapse
  - b) border-radius
  - c) **border-spacing**
  - d) None of the above
23. Arrays in JavaScript are defined by which of the following statements?
- a) **It is an ordered list of values**
  - b) It is an ordered list of objects
  - c) It is an ordered list of string
  - d) It is an ordered list of functions
24. Which of the following is not javascript data types?
- a) Null type
  - b) Undefined type
  - c) Number type
  - d) **All of the mentioned**
25. what will the following code return boolean(10 9)
- a) NaN
  - b) **True**
  - c) false

**26. Where is the correct place to insert a JavaScript in an HTML document?**

we can insert JavaScript in Both the **head** or **body** sections. The choice between the head and body sections

**27. How to declare variables in different ways in JavaScript?**

we can declare variables in three different ways by using var, let and const keywords.

Syntax:

```
var variableName = "Variable-Value;"
```

**28. how do you create a function in JavaScript?**

A JavaScript function is defined with the function keyword, followed by a name, followed by parentheses (). The basic syntax to create a function in JavaScript is shown below.

```
function function Name(Parameter1, Parameter2, ...)
{
    // Function body
}
```

**29. Is javascript case-sensitive?**

JavaScript is a case-sensitive language. This means that language keywords, variables, function names, and any other identifiers must always be typed with a consistent capitalization of letters.